

A new product update from...dla




AAL introduces....Diretto

*** Unique design features separate lamp and ballast module, unified by Stainless Steel Struts.**



*** CF lamping up to 70 watts, HID lamping up to 175 using ED-17 or T6 source.**

*** Wide range of pole, bracket and wall mounting options.**



HEAD	DIR	DIR	DIR	DIR	DIR
MOUNTING	WMA	AD4	PMAZ		PMA5
POLE		PR4-4R6	PR4-4R14	PR5-5R12	DB10-5R13
			BC5-1		

*** Quality AAL features like tool-less rotatable optics, tool-less lamp and ballast access, separate lamp and ballast module.**



*** Available options include the Lightly Diffuse lens for brightness control, and quartz restrike controller for lighting the exterior egress path.**

LDL

Lightly diffused lens. Frosted, flat tempered glass lens has a lightly diffused finish to minimize the lamp and reflector brightness.



QRS

Restrike controller. Quartz restrike controller & socket for a T-4 mini-cand halogen lamp, maximum 150 watt.

Egress lighting codes require an illuminated path to allow occupants to get a safe distance from the building during a power failure or other emergency. In conjunction with the proper wiring, these two options can be implemented to provide egress lighting.



Made in the USA.

Click here for slide show or brochure:

<http://www.aal.net/sections/products/diretto/html/diretto.html>

Please call for details.

dla

Diversified Lighting Associates